NAME

CSH – CUTEr tool to evaluate the Hessian of the Lagrangian, in sparse format.

SYNOPSIS

CALL CSH(N, M, X, LV, V, NNZH, LH, H, IRNH, ICNH)

DESCRIPTION

The CSH subroutine evaluates the Hessian of the Lagrangian function for the problem decoded into OUTS-DIF.d at the point X. The matrix is stored in sparse format.

By convention, the signs of the Lagrange multipliers V are set so the Lagrangian function can be written as $L(X, V) = f(X) + \langle c(X), V \rangle$.

ARGUMENTS

The arguments of CSH are as follows

N [in] - integer

the number of variables for the problem,

M [in] - integer

the total number of general constraints,

X [in] - real/double precision

an array which gives the current estimate of the solution of the problem,

LV [in] - integer

the actual declared dimension of V,

V [in] - real/double precision

an array which gives the Lagrange multipliers,

NNZH [out] - integer

the number of nonzeros in H,

LH [in] - integer

the actual declared dimensions of H, IRNH and ICNH,

H [out] - real/double precision

an array which gives the values of the Hessian matrix of the Lagrangian function evaluated at X and V. The i-th entry of H gives the value of the nonzero in row IRNH(i) and column ICNH(i). Only the upper triangular part of the Hessian is stored,

IRNH [out] - integer

an array which gives the row indices of the nonzeros of the Hessian matrix of the objective function evaluated at X and V, and

ICNH [out] - integer

an array which gives the column indices of the nonzeros of the Hessian matrix of the objective function evaluated at X and V.

AUTHORS

I. Bongartz, A.R. Conn, N.I.M. Gould, D. Orban and Ph.L. Toint

SEE ALSO

CUTEr (and SifDec): A Constrained and Unconstrained Testing Environment, revisited,

N.I.M. Gould, D. Orban and Ph.L. Toint,

ACM TOMS, 29:4, pp.373-394, 2003.

CUTE: Constrained and Unconstrained Testing Environment, I. Bongartz, A.R. Conn, N.I.M. Gould and Ph.L. Toint, TOMS, 21:1, pp.123-160, 1995.

17 Nov 2000 1