

## NAME

UDIMSE – CUTer tool to determine the number of nonzeros required to store the sparse Hessian matrix in finite element format.

## SYNOPSIS

CALL UDIMSE( NE, NZH, NZIRNH )

## DESCRIPTION

The UDIMSE subroutine determine the number of nonzeros required to store the Hessian matrix of the objective function of the problem decoded into OUTSDIF.d at the point X in the case where the only possible constraints are bound constraints. This Hessian matrix is stored as a sparse matrix in finite element format, using square symmetric elements.

## ARGUMENTS

The arguments of UDIMSE are as follows

**NE** [out] - integer

the number of "finite-elements" used,

**NZH** [out] - integer

the dimension of the array needed to store the real values of the Hessian, taking all the elements into account (i.e. the dimension of the array HI).

**NZIRNH** [out] - integer

the dimension of the array needed to store the integer values of the Hessian (i.e. the dimension of the array IRNHI).

## AUTHORS

I. Bongartz, A.R. Conn, N.I.M. Gould, D. Orban and Ph.L. Toint

## SEE ALSO

*CUTer (and SifDec): A Constrained and Unconstrained Testing Environment, revisited*,  
N.I.M. Gould, D. Orban and Ph.L. Toint,  
ACM TOMS, **29**:4, pp.373-394, 2003.

*CUTE: Constrained and Unconstrained Testing Environment*, I. Bongartz, A.R. Conn, N.I.M. Gould and Ph.L. Toint, TOMS, **21**:1, pp.123-160, 1995.

cdimse(3M).